UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/371,972	08/10/1999	KONSTANTINE I. IOURCHA	252209-2370	9872
24504 7590 02/03/2009 THOMAS, KAYDEN, HORSTEMEYER & RISLEY, LLP		EXAMINER		
600 GALLERIA PARKWAY, S.E.			GOOD JOHNSON, MOTILEWA	
STE 1500 ATLANTA, GA 30339-5994		ART UNIT	PAPER NUMBER	
			2628	
			MAIL DATE	DELIVERY MODE
			02/03/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
Office Action Commence	09/371,972	IOURCHA ET AL.				
Office Action Summary	Examiner	Art Unit				
	M GOOD JOHNSON	2628				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on <u>05 De</u>	ecember 2008.					
• • • • • • • • • • • • • • • • • • • •	action is non-final.					
·—	, —					
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1-7,9-12,14-18,23-26,28 and 29</u> is/are	pending in the application.					
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-7, 9-12, 14-18, 23-26 28 and 29</u> is/are rejected.						
7)☐ Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers						
9)☐ The specification is objected to by the Examiner.						
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date Notice of Informal Patent Application						
Paper No(s)/Mail Date 6) Other:						

Application/Control Number: 09/371,972 Page 2

Art Unit: 2628

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 12/05/2008 has been entered.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

3. Claims 1-7, 9-12, 15-18, 23-26 and 28-29 are rejected under 35 U.S.C. 102(e) as being anticipated by Yasui et al., U.S. Patent Number 6,271,848 B1.

Regarding claim 1, Yasui discloses a method of rendering a graphic primitive in a graphics system, the graphic primitive having a plurality of sides that define the edge of the primitive, the method comprising: receiving, in the graphics system, a signal from an interface, the signal comprising data about a plurality of vertices of the primitive and a variable at a point being processed (figure 1, col. 4, lines 37-54); selecting, in the graphics system, an interior point within the graphic primitive (figure 6, interior point c); selecting, in the graphics system, at least two side points located on a side of the graphic primitive (figure 6 selecting two side point a and b); determining, in the graphics system, for each of the at least two side points, a first ratio according to a first channel value for each respective one of the at least two side points and the primitive vertices data (col. 7, lines 37-38, determining division ratio, t1); determining, in the graphics system, one or more remaining channel values for each of the at least two side points based on the respective first ratio (col. 7, lines 57-65, deriving texture coordinate values, normal vectors and alpha values using the ratio, t1); determining, in the graphics system, a second ratio according to a first channel value for the interior point and the first channel values of the at least two side points (col. 7, lines 60-41, determining division ratio, t2); determining, in the graphics system, one or more remaining channel values for the interior point according to the second ratio and the corresponding channel values of the at least two side points (col. 7, lines 57-65, deriving texture coordinate

values, normal vectors and alpha values using the ratio, t2); and storing, in the graphics system, one or more of the additional channel values for the interior point (col. 7, line 66 – col. 8, line 15).

Regarding claim 2, Yasui discloses determining, in the graphics system, one or more remaining channel values for each of the at least two side points further comprises performing, in the graphics system, linear interpolation using an interpolation engine to determine the interpolated channel values of the two side points (col. 7, lines 33-65).

Regarding claim 3, Yasui discloses wherein determining, in the graphics system, one or more remaining channel values for each of the at least two side points further comprises performing, in the graphics system, perspective interpolation using an interpolation engine to determine the interpolated channel values of the two side points (col. 7, lines 17-32).

Regarding claim 4, Yasui discloses further comprising repeating in the graphics system, each of the aforementioned steps for a plurality of points in the graphic primitive.

Regarding claim 5, Yasui discloses the channel value represents color (col. 7, lines 28-31).

Art Unit: 2628

Regarding claim 6, Yasui discloses the channel value represents luminance (col. 7, line 59 – col. 8, line 15).

Regarding claim 7, Yasui discloses the channel value represents a texture coordinate (col. 7, lines 59-60).

Regarding claim 9, it is rejected based upon similar rational as above claim 1. Yasui further discloses calculating a third ratio, t3, col. 7, lines 41-43.

Regarding claim 10, Yasui discloses the step of determining in the graphics system, the first ratio for the first point comprises determining, in the graphics system, the channel values of end points of the first edge (col. 7, lines 38-39).

Regarding claim 11, Yasui discloses the step of determining in the graphics system, the second ratio of the second point comprises determining in the graphics system, the channel values of end points of the second edge (col. 7, lines 40-41).

Regarding claim 12, Yasui discloses determining, in the graphics system, one or more additional channel values includes using, in the graphics system, depth values of the first point and second point to determine a channel value for the interior point (col. 7, lines 33-46).

Regarding claim 15, it is rejected based upon similar rational as above claim 1. Yasui further discloses a channel value input device (CPU 10) configured to determine a channel value for each of a plurality of vertices of the graphic primitive using data received from an interface; a point specifier (attribute classifying section, which Examiner interprets as point specifier), coupled to the channel value input device, (it is noted that while the attribute classifying section is not directly coupled, it is inherently coupled in that the channel value data that is passed to the geometry converting section would be the same channel value if no geometry converting is necessary and therefore passed directly to the attribute section) configured to select an interior point within the graphic primitive; and an interpolation engine (rendering section 20).

Regarding claim 16, Yasui discloses the channel value of the interior point is further dependent upon a distance E between the interior point and the first point, and dependent upon a distance F between the interior point and the second point (figure 6).

Regarding claim 17, Yasui discloses the channel value of the first point is further dependent upon a distance A between the first point and the first end point of the first edge, and dependent upon a distance B between the first point and the second end point of the first edge (figure 6).

Regarding claim 18, Yasui discloses the channel value of the second point is further dependent upon a distance C between the second point and the first end point of

the second edge, and dependent upon a distance D between the second point and the second end point of the second edge (figure 6).

Regarding claims 23-26, they are rejected based upon similar rational as above. Yasui further discloses the CPU supplying the vertex data including the coordinate data for each vertex and depth values, col. 5, lines 55-67, calculating ratio values, col. 7 and converting to display screen coordinates, col. 6, lines 21-30.

Regarding claim 28, Yasui discloses determining, in the graphics system, one or more remaining channel values for the interior point further comprises performing, in the graphics system, linear interpolation using an interpolation engine to determine the channel value of the selected interior point within the graphics primitive (col. 7, lines 33-65).

Regarding claim 29, Yasui discloses determining, in the graphics system, one or more remaining channel values for the interior point further comprises performing, in the graphics system, perspective interpolation using an interpolation engine to determine the channel value of the selected interior point (col. 7, lines17-32).

4. Claim 14 is rejected under 35 U.S.C. 102(e) as being anticipated by Nally et al., U.S. Patent Number 5,598,525.

Application/Control Number: 09/371,972

Art Unit: 2628

Regarding claim 14, Nally discloses a system for rendering a graphic primitive, the graphic primitive including a plurality of vertices and edges, the system comprising: a plurality of agents configured to receive information from an interface (206) related to the plurality of vertices, a point within the graphic primitive, and generate output signals; an arbiter (202 and 201) coupled to the plurality of agents and configured to receive the output signals and to generate request signals; and an interpolation engine (204) configured to receive the request signals and generate an output ratio signal dependent on at least some of the output signals from the plurality of agents; and a router (205, controller) coupled to the interpolation engine and configured to transmit the output ratio signal to an input of at least one of the plurality of agents.

Page 8

Any inquiry concerning this communication or earlier communications from the examiner should be directed to M GOOD JOHNSON whose telephone number is (571)272-7658. The examiner can normally be reached on Monday-Friday 8-4:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kee Tung can be reached on (571) 272-7794. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/371,972 Page 9

Art Unit: 2628

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Motilewa Good-Johnson/ Primary Examiner, Art Unit 2628

mgj